


Warehouse & Loading Dock Solutions



Safety Products



**Dockboards
and Dock Plates**




Energy Saving Products



Lighting Products



Protective Systems



Product Upgrades



APS Resource®

Your Aftermarket Solution

©2011 4Front Engineered Solutions, Inc. - APS Resource

SAFETY PRODUCTS



APS 2000® Vehicle Restraint

APS 2000® Vehicle Restraint

The APS 2000 is a superior rotating hook, impact-style vehicle restraint developed specifically to reduce the occurrence of accidents at the dock. The APS 2000 combines an advanced LED communication system with a low profile restraint carriage.

- Low profile, 9" carriage improves service range to 9"-25" off grade
- Durable zinc-plated, dichromate carriage stows up off the drive for extensive all-weather use
- Standard LED internal/external communication system improves safety
- Patented IP65-rated gear motor never needs adjustment
- Zerk grease fittings on roller shafts; watertight electrical connectors



Dock Impact Barrier™

Dock Impact Barrier™

The APS Resource Dock Impact Barrier is a manually operated gate barrier. When dock use is required, the Dock Impact Barrier is opened by releasing the foot latch and lifting the gate into an upright position with very little effort. Available in 8', 9' and 10' sizes.

- Reduces the occurrence of accidents due to forklifts, pallet jacks or pedestrians falling off the dock when the door is open
- Reduces the occurrence of damage to equipment, load, door panels and door track when the door is closed
- 9/16" - heavy-duty steel aircraft cable encased in flexible fiberglass rail withstands the impact of a 10,000 lb. fork truck moving at 4 mph.
- High visibility nylon netting and yellow 42" upper fiberglass rail provide additional personnel safety and meet the International Building Code
- Simple installation, minimal maintenance and easy operation

Visual Barriers

Belted Visual Barrier


- 14 ft. yellow/black 3" strip for high visibility
- Trak Sentry with visual barrier provide 48" high door track protection (optional)

Steel Visual Barrier

- 48" tall x 12' wide; high visibility yellow/black steel barrier
- Lightweight design; additional double-wide (22') wheeled cart design available
- Highly visible strobe light for added safety (optional)

Canvas Visual Barrier

- 4' tall x 10' wide; high visibility large warning signs
- Light fabric and plastic design easily move and fold into a compact space



Steel Visual Barrier



Canvas Visual Barrier



APS Resource®
Your Aftermarket Solution

©2011 4Front Engineered Solutions, Inc. - APS Resource

SAFETY PRODUCTS

Trailer Stabilizers

OSHA recommends trailer stabilizers to help reduce accidents from trailer-tip and landing gear collapse during loading and unloading, when a tractor does not support the trailer.

Heavy Duty Hold Safe Stabilizer

- Static capacity: 100,000 lbs; lifting capacity: 50,000 lbs.
- Two-speed gear box; 16" semi-pneumatic tires
- Service range: 41-3/4"-55-1/4"; safety yellow for high visibility

Medium and Heavy Duty Ratchet Beam

- Medium Duty static capacity: 100,000 lbs; lifting capacity: 40,000 lbs
- Heavy Duty static capacity: 100,000 lbs; lifting capacity: 50,000 lbs
- Service range: 39-1/2"-51"



Heavy Duty Hold Safe Stabilizer

Wheel Guides

Heavy-duty wheel guides direct the truck into the correct position at your dock.

- High visibility safety yellow to stand out in the driveway
- Heavy-duty pipe style guides with dual mounting plates
- Also available with 32" flare



Wheel Guide



Heavy Duty Ratchet Beam



Medium Duty Ratchet Beam

Wheel Chocks & Chains

OSHA recommends trailer wheels be chocked during loading and unloading to prevent trucks from rolling. 3/16" plated coil chain sold separately. Optional "Truck Wheels Must Be Chocked" sign available.

Laminated Wheel Chocks

- Extra heavy-duty laminated rubber pads compressed between steel plates
- Contoured to fit tire; reversible

Aluminum Wheel Chocks

- Light weight, non-sparking extruded aluminum
- Surface gripping teeth on underside

Molded Wheel Chocks

- Available in molded rubber or urethane
- Designed to fit both the tire or the pavement
- Available in black or orange



Laminated, Aluminum and Molded Wheel Chocks



APS Resource®

Your Aftermarket Solution

©2011 4Front Engineered Solutions, Inc. - APS Resource

DOCKBOARDS AND DOCK PLATES

Dockboards

Convenient dockboards manufactured by APS Resource are the answer for low volume, dock use when cost and portability are a concern.

Heavy Duty Steel Dockboards

- Two 4-hole pin pockets placed on each end
- Integral, all-welded, steel anti-runoff curbs
- Tough, fold-down forklift loops for safe, fast positioning
- Available in 15,000-40,000 lb. capacities
- Available in 60" to 84" widths



Heavy Duty Steel Dockboard

Steel Dockboards with Lifting Chain


- Bolt-on steel curbs help prevent loading equipment runoff
- Locking legs for safe loading
- Available in capacities up to 10,000 lbs.; forklift chains included



Steel Dockboard with Lifting Chain

Aluminum Dockboards with Steel Curbs

- Available in 10,000-15,000 lb. capacities
- Bolt-on steel curbs prevent loading equipment runoff
- Locking legs for safe loading
- 11° lip bend and beveled deck edges for smooth transition
- 11" standard lip length for conventional trailers
- 14" lip length available for refrigerated applications
- Available in 60" to 72" widths and 36" to 72" lengths




Aluminum Dockboard with Steel Curbs

Dock Plates

For light duty and low volume applications.

Aluminum Dock Plates

- Ideal solution for pallet trucks and other non-powered loading equipment
- Bolt-on steel legs for safety
- 11° lip bend and beveled deck edges for smooth transition
- 11" standard lip length for conventional trailers
- 14" lip length available for refrigerated applications



Aluminum Dock Plate

Rail Dock Plates

- Custom built for your application
- Available in numerous sizes and capacities



APS Resource®
Your Aftermarket Solution

©2011 4Front Engineered Solutions, Inc. - APS Resource

ENERGY SAVING PRODUCTS

ENERGY GUARD™ Retrofit Kits

ENERGY GUARD Retrofit Kits provide a superior perimeter seal along the sides and rear of the dock leveler and block dirt, debris, pests and energy loss.

- Available for most Kelley®, Serco® and some competitive dock levelers
- Eliminates gaps around sides and rear of dock leveler; seals lifting holes
- Prevents mass flow of air, minimizing transfer of heat into and out of facility
- Allows easy access to EZ Clean front frame and pit for maintenance
- Kits fit common dock leveler widths - 6', 6.5' and 7'
- Kits fit common dock leveler lengths - 6', 8' and 10'
- "Low profile" version available for narrow pit gaps



ENERGY GUARD™ Retrofit Kit Installation

Dock Leveler Weatherseal


Chain Sealr™

- Helps prevent pests from entering the facility through the chain opening of the dock leveler
- Available in two sizes - 1.75" or 2.5" diameter



Rear Spiral Brush Seal

- This innovative, new, brush-style rear hinge seal fits securely in the rear hinge gap of the dock leveler



Dock Leveler Brush Seal

- Fits snugly in the gaps between pit walls and dock levelers for maximum protection against the elements
- PVC dock leveler seal also available



Dock Leveler Brush Seal



Door Weatherseal

Edge Sealr™

- Provides an extra tight seal between the dock leveler and overhead door
- Constructed of 22 oz. vinyl; available up to 12' with or without side flaps
- Custom lengths and widths available

Door Brush Seal

- Dense polypropylene bristle weatherseal, tightly woven and crimped
- Available in numerous door panel widths; 1.5", 2" and 3" bristle lengths
- Standard 45° or 180° aluminum extrusion for effective door sealing

Door Sprag™

- Fills the gap between the dock leveler and pit wall



Door Sprag™

Dock Stufr®

The Dock Stufr easily and inexpensively eliminates dock gaps.

- Constructed from heavy-duty coated fabric for durability and long life
- Includes strap for portability and attachment grommet
- Available in 18" and 30" lengths



Dock Stufr®



APS Resource®
Your Aftermarket Solution

©2011 4Front Engineered Solutions, Inc. - APS Resource

DOCK LIGHTING



FT Ultra LED™ Dock Light



High Impact LED™ Dock Light



FT Ultra XL™ Dock Light



E-Saver™ LED Lamp
in Light Head

FT Ultra LED™ Dock Light

The 15 watt FT Ultra LED Dock Light from APS Resource provides an abundant amount of light output using less energy.

- 33" stainless steel flexible arm for easy positioning
- Significant energy saving 15 watt LED with 50,000 hour LED lamp life
- Control box includes ON/OFF toggle switch and optional built in 120V outlet with a 6ft cord
- Meets FDA and USDA requirements for food and pharmaceutical facilities
- Durable construction; designed to resist impact; ETL listed

High Impact LED™ Dock Light

The High Impact LED Dock Light delivers maximum light output using only 18 watts.

- Rugged, compact design for the most demanding applications
- Convenient recessed ON/OFF switch
- 18 watt LED with 60,000 hour LED lamp life
- 100-240VAC/60HZ
- Meets requirements for food and pharmaceutical facilities
- NEMA4; IP66 rated; UL & cUL Certified

FT Ultra XL™ Dock Light

The durable FT Ultra XL Dock Light from APS Resource can withstand impact at the loading dock while offering greater light output.

- 39" stainless steel flexible arm for easy positioning
- Optional lamps:
 - 15 watt, PAR30 LED lamp with 50,000 hour LED lamp life
 - 75 watt, PAR30 halogen lamp
- Control box includes ON/OFF switch & 120V outlet with standard 6ft. cord for additional dock products
- Wire guard standard; UL listed

E-Saver™ LED Lamp

The APS Resource E-Saver LED Replacement Lamp saves significant amounts of energy with a rapid return on investment.

- 27 watt LED uses less than 20% the energy of a traditional incandescent
- 50,000 hour extra long lamp life expectancy
- PAR38 shape fits most existing dock lights for easy installation
- Durable construction to withstand impact
- Meets requirements for food and pharmaceutical facilities; CE approved



E-Saver LED Lamp



APS Resource®
Your Aftermarket Solution

©2011 4Front Engineered Solutions, Inc. - APS Resource

DOCK LIGHTING

APS&GO - LED™

The APS&GO - LED reduces the potential for serious accidents from truck drivers pulling away before loading/unloading is finished.

- High visibility red/green flashing LED lights with truck driver sign for simple, effective communication
- Compact, low-profile design reduces potential damage and fits between narrow seal/shelter designs
- Impact resistant polymer housing helps prevent corrosion
- Power cord for easy installation
- Long lasting LED technology for added safety
- UL and cUL approved



APS&GO - LED™

Dock Strobe™

The Dock Strobe will alert all employees to potentially dangerous situations using a 100-candela strobe tube light powered by two 6-volt, lantern batteries.

- Safety yellow casing and amber 360° dome for superior visibility
- Low profile, impact-resistant 4" dome
- Dual 3" heavy-duty industrial grade magnets on base
- High impact polypropylene; UV stabilized base for outdoor durability



Dock Strobe™

Reflect & Guide Stripes

The easy to install Reflect & Guide Stripes enhance safety at the dock and throughout the facility.

- Weather resistant for long-term performance
- 47,000 microprisms per square inch provide intense reflective property
- Easy to install, no electrical hook-ups, no bulbs to replace and zero energy use
- 4" Wide; 10", 24" or 30" long



Reflect & Guide Stripe

Guide Lights

Guide Lights provide an ideal focal point for drivers, greatly reducing the risk of "overrunning" the dock. The dual Guide Light's adjustable reflectors produce a focused light pattern that illuminates the dock surface exactly where needed to assist a driver in lining up the trailer square to the dock.

- Operates with on/off control console for both guide lights included
- Shallow depth reduces chance for impact by truck trailer
- High-impact polycarbonate construction with ribbed reinforcing
- High visibility from compact illumination on both sides of the door opening
- 115/12V AC/DC operation; dual light system is standard
- Standard (3) 12 Volt bulbs; also available in LED



Guide Lights and Control Box



APS Resource®

Your Aftermarket Solution

©2011 4Front Engineered Solutions, Inc. - APS Resource

WAREHOUSE LIGHTING

The Importance of Quality Lighting

Innovative lamp and luminaire technology by APS Resource results in effective and quality lighting for your facility. Uniformly illuminated facilities:

- Can reduce energy and operating costs
- Create a safer work environment
- Enable & increase productivity
- Can reduce worker's mistakes & mishaps
- Enhance employee & company security

Fluorescent Lighting

APS Resource's fluorescent lighting choices are ideal for high ceiling warehouses, manufacturing facilities, aisle ways and lower height applications. T5 and T8 fixtures available.

High Bay and Low Bay Fluorescents


- High Bay fluorescents are ideal for high ceiling warehouses, manufacturing facilities and aisle ways
- High efficiency; greater than 93 lumens per watt
- Lumen maintenance greater than 90%
- Instant ON lighting; no wait in power interruptions
- Good color rendering; greater than 85 CRI
- Available with wire guards and lensed enclosures
- Low Bay fluorescents are perfect for task lighting to increase productivity and reduce energy costs

Fluorescent Dimming and Motion Sensors

- Continuously dimmable to less than 10%
- Programmed start to ensure long life operation
- Energy consumption reduced by as much as 40%
- Motion sensors save electricity consumption by providing light only when and where needed




T5-Industra5™



4 Lamp
Fluorescent High Bay



6 Lamp
Fluorescent High Bay



Fluorescent Task Lighting



APS Resource®
Your Aftermarket Solution

©2011 4Front Engineered Solutions, Inc. - APS Resource

WAREHOUSE LIGHTING

High Intensity Discharge (HID) Lighting

APS Resource HID lighting has numerous options for either Metal Halide or High Pressure Sodium fixtures. HID lighting is ideal in extreme temperature environments and can be utilized in high, medium and low ceiling applications.

High and Low Bay HID

- Available in Metal Halide & High Pressure Sodium fixtures
- Good in extreme temperature applications or dirty corrosive conditions
- Produces 40% more horizontal illumination
- Reflectors & Refractors position light more evenly and where needed
- Better color uniformity



HID Low Bay



HID High Bay

HID Dimming and Motion Sensors

- Controllable light output
- Motion sensors save electricity consumption by providing light only when and where needed
- Available for freezers, cold storage or main warehouse areas



HID Dimming


Pulse Start Metal Halide

Pulse Start Lamps are an energy efficient alternative to standard Metal Halide HID sources.

- Better lumen maintenance than standard Metal Halide
- Faster re-strike and warm up times than standard Metal Halide
- Suitable for -40°C ambient temperatures

LogistixPro™ Aisle Lighter

- Elliptical reflector creates an asymmetric beam pattern, distributing light more effectively
- Can reduce overall luminaire count by 25%, maintaining required light levels
- Produces 40% more horizontal illuminance
- Creates more evenly illuminated work area, resulting in better visibility, reduced eye fatigue and fewer picking errors
- Available in 250W and 320W for energy saving compared to a traditional 400W system



LogistixPro™



APS Resource®

Your Aftermarket Solution

©2011 4Front Engineered Solutions, Inc. - APS Resource

SPECIALTY LIGHTING

Outdoor Lights

Adequate sign and dock door lighting is crucial for trucks to arrive at the proper door and to ensure they are spotted efficiently for immediate unloading. Wall mounted lighting can be used to effectively illuminate personnel entrances, stairways, loading dock doors and driveways.

Outdoor Lighting

Proper lighting for parking areas and areas adjacent to your facility is important for employee safety and company security. APS Resource has several lighting options that are durable for outdoor use.

- Available in Metal Halide, High Pressure Sodium or LED for maximum energy efficient coverage
- Site, parking lot and path lighting fixtures available to be wall or pole mounted
- Site lighting available in various intensities up to 1,000 watts
- Floodlights create an attractive and functional lighting scheme in a compact package
- Round Parking Garage luminaire is perfect for applications with ceiling heights of 15 feet and below. It provides even light distribution for parking garages, maintenance areas, industrial areas, etc.
- Wall Packs offer a compact, low profile design that is perfect for low mounting applications where aesthetics and performance are desired

Exit and Emergency Lighting

APS Resource's exit and emergency lights help facilitate orderly, accident-free exiting from a building under normal or emergency conditions. Available in many profiles, sizes and contours, these lighting systems provide safety when normal lighting systems fail.

- Wall mount or ceiling mount available
- Red or green panel colors available
- Incandescent or LED version available
- Long life batteries can provide over 90 minutes of emergency operation



Area Lights



Parking Garage Luminaire



Floodlight



Wall Packs



Emergency Lighting



Emergency Lighting



APS Resource®
Your Aftermarket Solution

©2011 4Front Engineered Solutions, Inc. - APS Resource

WAREHOUSE FANS

HV-ES™ Energy Saving Fan

Provides more airflow at lower amperage than any comparable truck fan on the market.

- Powerful 1/3 HP, 115V, 2.3 Amp, energy efficient motor
- Circulates up to 980 CFM
- Durable polyethylene construction withstands impacts
- Lightweight, compact size
- Articulated mounting arm for precise positioning

Dock Light / Fan


Improves poor lighting and ventilation at the dock.

- 3-speed, 18", 5,500 CFM fan
- Available with 24", 42", 62" or 90" total arm reach
- Optional LED, High Pressure Sodium, Quartz Halogen, Metal Halide or Fluorescent Bulbs
- UL listed

Light Duty Industrial Ceiling Fans

Alternative when HVLS fans cannot be applied.

- 56" blade, 115V single phase, 3 curved steel blades
- Other models available



Ceiling Fans

Personnel Fans

Alternative when cage-style HVLS fans cannot be applied.

Portable Air Blower

- Belt Drive - 36" or 42" blades, 1 speed, 115V capacitor start motor
- Direct Drive - 30" or 36" blades, 2 speed, 1/3 HP motor

Air Circulator

- 30" blade, 1/3 HP, 2 speed motor, 115V single phase
- Pedestal or wall mount, available in chrome or safety yellow



HV-ES™ Fan with High Impact LED™ Dock Light Head



Dock Light/Fan



Portable Air Blower

Air Circulator



APS Resource®
Your Aftermarket Solution

©2011 4Front Engineered Solutions, Inc. - APS Resource

PROTECTIVE SYSTEMS



Sentry-Rail

Sentry-Rail

High visibility and structural integrity provide needed protection throughout your facility.

- Standard posts available in double rail (44"h) and single rail (18"h); custom posts upon request
- Optional removable/swing gate available
- OSHA approved, powder coated safety yellow



Trak-Sentry

Trak-Sentry

Trak-Sentry wraps securely around the door's track without interfering with normal door operation.

- 4' standard height for maximized protection
- Powder coated safety yellow for high visibility
- Heavy-duty steel construction
- Floor mounting hardware included
- Available in Heavy-Duty steel for extra strength



Z-Guard

Z-Guard

This compact system takes up less valuable floor space by eliminating the base plate.

- A cost-effective way to protect door tracks
- Keeps floor space unobstructed around the door opening
- Does not interfere with security wiring around the door opening
- Powder coated safety yellow for high visibility



Poly-Barrel Column Protector

Column Protectors

Protects against structural damage to I-Beams from forklifts and other equipment by absorbing impact.

Steel Column Protectors

- Powder coated safety yellow for durability and high visibility
- Heavy-duty steel construction
- Complete with concrete and assembly hardware

Poly-Barrel Column Protectors

- High-density polyethylene protectors have UV inhibitors and are rust and stress resistant
- Impact tested to handle a 7,000 lb. forklift at 6 mph
- Deflect impact and guard against damage caused by forklifts, hand trucks, drum dollies and personnel traffic
- Quick and easy installation; no tools required



APS Resource®
Your Aftermarket Solution

©2011 4Front Engineered Solutions, Inc. - APS Resource

PROTECTIVE SYSTEMS

Drain Pipe Protectors

Drain Pipe Protectors are a cost-effective way to help eliminate damage to unprotected drain pipes.

- Absorbs and dissipates direct impact
- High visibility safety yellow powder coating
- Available in wall-mount or I-Beam mount; 42" high

Rack Post Protectors

Rack post protectors are a cost-effective solution to protecting your racking systems from collapse during impact.

- Helps reduce potential injury from rack damage
- Constructed of rugged steel plates
- High visibility safety yellow powder coating
- Available in various heights (12", 18", 24") and lengths
- Single or double widths available

Fork Sentry

A heavy duty barrier to protect machinery and personnel from lift truck traffic. Rugged construction barrier provides safety to company assets.

- Heavy-duty, gusseted, 8" high construction
- High visibility safety yellow powder coating
- Provides safety to machinery, personnel and company assets
- Protects from lift truck traffic and forks
- 18" and 60" length sizes standard
- Other sizes available upon request

Bollards

Enhance your property's appearance without costly painting or clean-up!

Pipe Bollards

- Protection for loading docks, door jambs and other in-plant areas susceptible to a moving vehicle collision
- Available in heavy-duty 6" or 4" diameter pipe
- Powder coated safety yellow for high visibility
- Optional cap available

Bollard Covers

- Fit securely over existing bollard posts
- Constructed of 1/8" thick, high density, UV stabilized polyethylene for durability and long life
- OSHA yellow; enhances visibility with red or blue reflective stripes
- Easy installation
- Various sizes available



Drain Pipe Protectors



Rack Post Protectors



Fork Sentry



Bollard Covers

Pipe Bollard



APS Resource®

Your Aftermarket Solution

©2011 4Front Engineered Solutions, Inc. - APS Resource

PROTECTIVE SYSTEMS

FLEX-BACK™ Door Panel

The FLEX-BACK Panel is the answer to common lower door panel damage, one of the most frequent and costly maintenance problems in today's busy warehouse.

- High impact polymer skin and flexible tube frame allows the panel to flex upon impact and return to its normal operating position
- Provides an exceptional thermal seal
- Installs easily using standard door hardware
- Heavy duty, easy grip handle comes standard
- Thick, 1¾" construction fits most common doors
- Available in most popular sectional door sizes: 8'2", 9'2" and 10'2" and custom sizes



FLEX-BACK™ Door Panel Flexes Upon Impact

Bumpers

Provide maximum protection against vehicle damage to the building, dock leveler, restraint, seal or shelter. A wide variety to choose from in vertical and horizontal bumpers.

Molded Bumpers

- Perfect for low traffic dock use
- Unique design and construction achieves high impact resistance and long life
- Molded in one piece; compact size
- Weather resistant; maintenance-free



Molded Bumpers

Laminated Bumpers

- Absorb over 80% of truck impact and help protect dock and building
- Thick reinforced rubber pads laminated between heavy steel angles for stability and strength
- Help eliminate costly repairs from severe shock to docks



Laminated Bumpers

Steel Bumpers

- Rubber pads with reinforced steel-face absorb and deflect shock for maximum dock and building protection
- Recommended for heavy-duty and air-ride trailer applications
- Cost-effective due to long wear expectancy
- Impervious to weather damage; maintenance-free




Dock Defender Bumper

Steel-Faced Bumper

Security Gates

APS Resource provides a variety of security gates to fit all your needs.

- Variety of widths and heights available
- Single-slide or bi-part styles
- Extra-heavy steel construction



Bi-Part Security Gate

PRODUCT UPGRADES

LED Upgrades for Vehicle Restraints

LED replacements available for both inside and outside lights. Replace higher maintenance incandescent bulbs with long lasting, reliable, LED technology.

- Uses 40% the energy of a traditional incandescent bulb
- No maintenance, extra long lamp life, high vibration resistance
- Available in 12V, 24V & 110V low-profile design



Inside LED Upgrade



Outside LED Upgrade

ATC™ - Air Technology Conversion™ Kit

The patented ATC Air Technology Conversion Kit will extend the life of your old dock leveler and make it more efficient while lowering your operating costs. The ATC Kit converts levelers of most major manufacturers and can be installed easily. The airbag lifting module is made of tough, PVC-coated polyester fibers that operates without loss of performance in temperatures from -65 to +200 F, even if the bag is punctured.

- Easy push-button operation
- Ergonomic design increases safety and productivity
- Proven technology - tested fully effective at over 200,000 cycles
- Environmentally friendly
- Lowest lifetime ownership cost
- 110 Single Phase



Low Pressure Fan Motor



ATC™ Conversion Kit

HTC™ - Hydraulic Technology Conversion™ Kit

Fully hydraulic activation in a conversion kit combines ease of operation with low operating costs. Hydraulic main cylinder with hydraulic lip activation makes this kit a complete upgrade for your leveler. Velocity fuse included for emergency safety.

- ¾ HP motor/pump assembly
- Hydraulic main cylinder and lip cylinder comes with all necessary hoses, fittings and brackets
- Easy to use, constant pressure push-button control
- Velocity fuse emergency safety system
- Standard Single Phase: 110-115V, 208-230V
- Optional Three Phase: 190-230V, 380-460V



Motor & Cylinders



HTC™ Conversion Kit



APS Resource®

Your Aftermarket Solution


©2011 4Front Engineered Solutions, Inc. - APS Resource

APS RESOURCE'S COMPREHENSIVE LINEUP INCLUDES:

airDefense® Retro Fit Kits
APS&GO Safety Light Systems
APS 2000® Rotating Hook Vehicle Restraint
ATC™ - Air Conversion Kit™
Bollard Covers
Bumper Brackets & Buildouts
Column Protectors
Curb Angle Sets
Dock Bumpers
Dock Defender™ Bumper
Dock Guide Lights
Dock Impact Barrier
Dock Light / Fan Combinations
Dock Seal Recovers
Dock Seal Wear Pleats
Dock Strobe™
Dock Stufr®
Dock Visual Barrier
DOK-LOK® Replacement Parts
Door Edge Sealr's
Door Section Saver
Door Sprag Seals
Drain Pipe Protectors
ENERGY GUARD™ Retrofit Kits
E-Saver™ LED Lamp
Extra Length Dock Bumpers
FLEX-BACK™ Door Panel
FT Ultra XL™ Dock Light
FT Ultra LED™ Dock Light
High Impact LED™ Dock Light
High Pressure Sodium Dock Lights
Holdown Upgrade Kits
Hold-Safe™ Trailer Jack Stands
HV-ES™ Energy Saving Fan

HTC™- Hydraulic Conversion Kit™
Kelley Atlantic® Brand Service Parts
Kelley® Brand Service Parts
Laminated Dock Bumpers
LED Upgrade Kits
Metal Head Dock Lights
Molded Dock Bumpers
Outside and Site Lighting
Pipe Bollards
Pit Kits
Polycarbonate Head Dock Lights
Portable Dock Plates & Dockboards
Portable Rail Ramps
Rack Post Protectors
Rear Spiral Seal
Reflect & Guide Stripes
Rite-Hite® Brand Service Parts
Security Dock Gates
Sentry Rail Guard Railing
Serco® Brand Service Parts
Spring Head Dock Lights
Stand-off Kits for Restraints
Steel Faced Dock Bumpers
Steel Pit Kits
Trak Sentry Door Track Protectors
Truck Alert Light Communication Systems
T-Track Weatherseal, Brush & PVC
Visual Barriers
Warehouse Lighting
Weatherseal Kits for Dock Levelers & Doors
Wheel Chocks & Chains
Wheel Risers
Yard Ramps
Z-Guard Door Track Protectors

Your APS Resource Local Distributor Is:



APS Resource®
Your Aftermarket Solution

©2011 4Front Engineered Solutions, Inc. - APS Resource